

#### UNION CARBIDE CORPORATION

NUCLEAR DIVISION

P. O. BOX Y, OAK RIDGE, TENNESSEE 37830

200214

June 15, 1973

United States Atomic Energy Commission Attention: Mr. C. A. Keller, Director Uranium Enrichment Operations Division Post Office Box E Oak Ridge, Tennessee 37830

Gentlemen:

## Radionuclide Release Data - Diffusion Plants

In response to your letter of May 18, the requested information for the Oak Ridge and Paducah Gaseous Diffusion Plants follows:

#### ORGDP

1. Three gaseous release points were reported for 1972.

The K-1420 drum dryers (effluent release point identity number 004) discharge through a stack approximately 40 feet above the roof line and 80 feet above ground level. Since the 1972 report, the ventilation system at K-1420 has been remodeled. The drum dryer exhaust presently discharges through another blower which has a capacity of 1800 scfm. Instead of a gross volume of 7.413 x  $10^7$  ft<sup>3</sup>, as reported previously, the new gross volume is approximately 1.96 x  $10^8$  ft<sup>3</sup>. The drum dryers discharge continuously through the above blower approximately 7 hours each day, 5 days per week. The uranium is in the form of a mist having the chemical formula  $U0_2(N0_3)_2.6H_20$  (uranyl nitrate - hexahydrate).

The K-311-1 purge cascade (effluent release point identity number 005) discharges through a stack approximately 17 feet above the roof line and 75 feet above ground level. The flow rate is 3300 scfm. The UF<sub>6</sub> which is discharged reacts with moisture in the atmosphere to immediately form  $\rm UO_2F_2$ . The release point is a continuous discharge 24 hours each day.

# APPROVAL FOR RELEASE

Document: #	Unnumb	pered	; D	ate	6/15	73;
Title/Subject	Letter,					(AEC-
Oak Ridge) Diffusion	"Radior Plants"	u <u>cli</u> de	Releas	e Da	ıta -	
Approval for unr	estricted relea	se of this c	locument i	s auth	orized by	the Oak
Ridge K-25 Site	e Classification	on and Inf	ormation	Contro	ol Office,	Martin
Marjetta Energy Systems, Inc., PO Box/2003, Oak Ridge, TN 37831-7307.						
Swin	Stru	AB.	)		2/1/9	<u> </u>
K-25 Classification	on & Informati	ion Control	Officer		Dat	е

The K-1302 stack (effluent release point identity number 006) discharges through a brick stack approximately 75 feet above ground level. The flow rate is 65,000 scfm. The UF $_6$  which is discharged reacts with moisture in the atmosphere to immediately form UO $_2$ F $_2$ . The facility operated approximately 16 weeks during 1972. Twentyminute batch discharges occurred approximately six times per week.

- 2. Three liquid release points for uranium were reported for 1972. The uranium at all locations is in the form of dissolved solids containing the  $\rm UO_2$  ion.
- 3. The AMAD is not known since measurements have not been made to determine this parameter.
- 4. Stack discharges are sampled isokinetically into an aqueous medium. Periodic calibration checks are made of the flow-measuring equipment used in sample collection. Analyses are performed colorimetrically employing a spectrophotometer.

The water sampling apparatus is a Black Clawson-Krofta pneumatic stainless steel sampler. The unit is cone-shaped and collects a sample every 20 minutes proportional to the flow over a rectangular weir. The water samples are removed from the collection barrel weekly and are composited monthly on a flow-rated basis. Analyses are performed fluorophotometrically after concentrating by solvent extraction.

Precision and accuracy of laboratory measurements are evaluated continuously by a quality control program. The program is independently administered and involves the analysis of disguised levels of the contaminant. Calibration checks of the equipment used in the analyses are also made periodically to maintain adequate control.

#### PGDP

1.	Emission No.	Stack Height (ft)	Flow Rate (scfm)	Form	Discharge Frequency*
	ØYUCA001001A	70	800	uf <sub>6</sub>	Continuous
	ØYUCB001003A	95	50	uf <sub>6</sub>	Continuous
	ØYUCBOO1004A	35	6,350	UO <sub>2</sub> F <sub>2</sub>	<pre>Intermittent (1-2 hrs/shift)</pre>
	ØYUCB001005A	52	6,800	UF4	24-hr continuous @ 248 days/year
	ØYUCB001006A	45	9,250	UF4	24-hr continuous @ 248 days/year
	ØYUCB001007A	83	9,250	uo3,u308	24-hr continuous @ 248 days/year

Emission No.	Stack Height (ft)	Flow Rate (scfm)	Form	Discharge Frequency*
ØYUCB001008A	83	5,650	UF <sub>4</sub>	24-hr continuous @ 248 days/year
ØYUCC001009A	20	1,600	UF4,UO3,UO2F2	14 hrs/day batch @ 248 days/year
ØYUCD001011A	120	2,300	UF <sub>4</sub>	24 hrs/day continuous @ 353 days/yr
ØYUCD001012A	120	5,000	UF <sub>4</sub>	24 hrs/day continuous @ 353 days/yr
ØYUCD001013A	80	4,800	UF4,U308	Batch 3,000 hrs/yr
ØYUCD001014A	30	13,000	U <sub>3</sub> 0 <sub>8</sub>	Batch 3,000 hrs/yr
ØYUCD001015A	80	6,800	U <sub>3</sub> 0 <sub>8</sub>	Batch 3,000 hrs/yr
ØYUCD001016A	80	6,000	U <sub>3</sub> 0 <sub>8</sub>	Batch 3,000 hrs/yr
ØYUCD001017A	80	14,000	U <sub>3</sub> 0 <sub>8</sub>	Batch 3,000 hrs/yr
ØYUCD001018A	80	15,000	U <sub>3</sub> 0 <sub>8</sub>	Batch 3,000 hrs/yr
ØYUCD001019A	35	2,000	U <sub>3</sub> 0 <sub>8</sub>	Batch 3,000 hrs/yr

\*Normal Frequency of Operation - Estimate

2.	Emission No.	Form*
	ØYUCC001021L	Uranyl ion
	ØYUCD001022L	Uranyl ion + Suspended Uranium Oxides
	ØYUDE001023L	Uranyl ion
	ØYUCF001024L	Uranyl ion + Suspended Uranium Oxides
		*Probable forms of uranium present in liquid.

# 3. Activity Median Aerodynamic Diameter

Since most of the airborne releases are due to bag failure, the AMAD of the bulk of the particles is quite large. We estimate approximately 40-50 microns.

A small amount of the total emissions consists of particles that escape the bags (not during failure). The AMAD of these particles is estimated to be about 1 micron.

# 4. Brief Summary of Environmental Monitoring for Radioactive Materials

## a. Airborne Emissions

A record is kept of the emission of radioactive materials from the stacks. The stacks are sampled by isokinetic samplers and the samples analyzed by C-710 Laboratory. During lab analysis, duplicates and blanks are run.

# b. Liquid Emissions

Certain batch effluents are sampled prior to release. Streams into which plant wastes are discharged are monitored by a continuous, proportional sampler. Samples are analyzed for uranium by a fluorimeter in C-102 Industrial Hygiene Laboratory. During each batch of analyses, quality control "unknowns" are provided by the C-710 Laboratory. Also, the fluorimeter is calibrated by standards during each run.

We will be happy to supply any additional data you may need.

Very truly yours,

R. G. Jordan, Manager

Safety and Environmental Protection

#### RGJ:ayb

cc: Mr. P. C. Fourney

Mr. C. C. Hopkins

Mr. G. R. Jasny

Mr. P. R. Vanstrum

Mr. W. J. Wilcox, Jr.

Mr. R. A. Winkel

# ChemRisk Document Request Transmittal Form (This section to be completed by ChemRisk)

# S. Sandberg / ISD
Name    S. Samilberg   ISP   Division   is requested to provide the following document
Address
Date of Request 12/10 Expected receipt of document 12/21
Title of requested document Radioniclièle Reloase Data. Diffusion Plants
Document Number 800814
Access Number of Document Date of Document <u>June 15, 19</u> 73
(This section to be completed by Derivative Classifier)
Derivative Classifier R. G. Jordan Phone 4 1645
Date document transmitted to Dr. Quist 1/15/93 1/29(83
Date release received from Dr. Quist_OK_082 1/29 (93
PUBLIC RELEASE STAMP attached to each copy of document ( YES NO )
Date document sent to reproductionExpected Return
Delivered to DRC byDate
(This section to be completed by DRC)
Received by DRCDate
Processed
Mailed

84 :2 Md E-837 E991

# OAK RIDGE K-25 SITE DOCUMENT RELEASE FORM

Person requesting release JENNIFER LAMB (CHEMRISI  Mailing Address K-1200 MS-7262  Rec'd K-25C0:  Rec'd K-25C0-RC(4710)  1/29/93  4 0745					
Person requesting release  JENNIFER LAMB (CHEMRISI  Mailing Address K-1200 MS-7262  Date by which release is required  Rec'd K-25CO:  Rec'd K-25CO:  Rec'd K-25CO:  7/201  A 9745  C: File-K25CO-RC(4710)  A 9745  A 9745					
Mailing Address K-1200 MS-7262 Rec. JLamb C: 511e-K25C0-RC(4793					
Mailing Address K-1200 MS-7262  Date by which release is required  Some documents require special review Rec. Jamb C: File-K25C0-RC(47)3  File-K25C0-RC(47)3  AS Quist, and processing time is 5 working days.					
Note: Two copies of the document must generally be provided to the Classification and Information Control Office with this request. Only one copy of photos and videotapes is required. Documents that include photos must be accompanied by "originals" of the photos.					
Approval of request for Classification and Information Control Office to release document (department head or higher):  Signature:					
DOCUMENT DESCRIPTION (to be completed by requester)					
Document number UNNUMBERED/800814 Pages 4					
Document title RADIONUCLIDE RELEASE DATA - DIFFUSION PLANTS					
RADIONOCLIDE RELEASE DATA - DIFFUSION PLANTS					
Author(s) (indicate other divisions or organizations. if applicable) RG JORDAN					
Document type (See Doc. Prep. Guide, Chs. 1 and 2, for definitions of document types):					
☐ Formal Report ☐ Progress Report ☐ Informal R&D Report ☐ Abstract ☐ Drawing					
Administrative					
Journal Article (identify journal):					
Oral Presentation (identify meeting, sponsor, location, date):					
Will oral presentation be published in program, booklet, brochure, etc.?					
Will copies of the oral presentation be distributed  before,  after,  during the meeting?  No distribution will be made.					
Other (specify): HEALTH STUDY FEASIBILITY PROJECT					
ruipose oi felease					
Previously cleared documents containing similar information					
Is copyrighted material contained in this document? (If present, attach release.) Yes No  Remarks					
CLASSIFICATION INFORMATION (to be obtained by requester)					
Was the work reported in this document funded, in whole or in part, by a classified program at Martin Marietta Energy Systems, Inc.?  No Yes (Name of program:					
Is the subject area of this document closely related to a prior or current classified program at Martin Marietta Energy Systems, Inc.?					
□ No □ Yes Within the Department of Energy? □ No □ Yes					
Name or Description of applicable program(s)					
Additional and					
Additional remarks					
This document contains no classified information.					
Derivative Classifier signature 77.33. Lada Date 1/14/93					
UCN-87 (1 7-91)					

CONTRACTOR OF THE SECOND SECON

DISTRIBUTION LIMITATIONS (If any) (completed by requester)				
Unrestricted, unlimited				
Distribution may be limited because this document cor	tains information that is:			
☐ Unclassified Controlled Nuclear Information *	☐ Applied Technology *	☐ Export Controlled *		
☐ Naval Nuclear Propulsion Information *	Gov't Confidential Commercial Inf	· · · · · · · · · · · · · · · · · · ·		
Sensitive Nuclear Technology *	☐ Small Business Innovation Resea	_ · ·		
Safeguards Information *	☐ Cooperative R&D Agreement *	☐ Other		
	* Generally identified by spor	<del>_</del>		
	,			
Remarks:				
Remarks:				
DATENT IN	ORMATION (completed by requester			
PAIGH IN	ChimA TON (completed by requester	)		
Does this document disclose any new equipment, produced	ess, or material?	□ No		
If yes, list the patent significance and identify page nur	nber(s) and line number(s) in the space	immediately following		
(or attach separate pages).	(,	g		
PATENT SECTION ACTION (completed by Pater	t Section upon request by the Classi	ication and Information Control Office)		
	Todacat ay aic biasai	icadon and information Control Onice)		
Document may be released for publication		ved by DOE Patent Group before release		
☐ Document contains pate	ntable information and may not be rele	ased at this time		
Remarks				
Retart Continu Barrana di a				
Patent Section Representative		Date		
CLASSIEICATION AND INFORMATION CONTROL	OFFICE ACTION (see also also observed)			
CLASSIFICATION AND INFORMATION CONTROL	OFFICE ACTION (completed by Class	ification and information Control Office)		
Classification Office  Not approved for release Action Taken:	(see below)	r release with changes (see below)		
Approved for release with	out change			
Classification Officer signature	ı	Date		
	<del>_</del>			
Technical information	(see below)	or release with changes (see below)		
Office Action Taken:  Approved for release with		,		
4 ( )	•			
fa Phan Rup				
- Ju CIWINGSIA				
-	17) 515	<del></del>		
Technical Information Officer Signature	$1 + \frac{1}{2} (42)$	pate 1/24/43		
Send to OSTI? Yes No	Category Distribution:			

and the same